


/ 2021-03-24 07:08:24 / China / 2539 / EN



56.92 kWhpe/m<sup>2</sup>.



:  
 : 2018  
 : 2019  
 1- : 215399 ,  
 : [Dfb]

---

: 672 m<sup>2</sup> Other  
 / : 4 656 400 ¥  
 /m<sup>2</sup> : 6929.17 ¥/ m<sup>2</sup>

:



2004 “ ” 60.45% 65% PM2.5 LED “ ”



:  
: maojin@kscid.com  
<http://www.kscid.com/>

:  
: 13809065531  
[https://aiqicha.baidu.com/company\\_detail\\_48633107787224?rq=ef&pd=ee&from=ps](https://aiqicha.baidu.com/company_detail_48633107787224?rq=ef&pd=ee&from=ps)

:  
  
jsjy\_jj@163.com  
<http://www.jsjy.com/>

“ ”

“ ”

1

“ ”

65%

PM2.5

LED

2

60.45%

3

“ ”

95%



: 56,92 kWhpe/m<sup>2</sup>.  
: 71,58 kWhpe/m<sup>2</sup>.  
:  
: 34,22 kWhfe/m<sup>2</sup>.  
:  
4.54Kwh/m2/year    1.66Kwh/m2/year    3.58Kwh/m2/year    24.44Kwh/m2/year  
: 149,00 kWhpe/m<sup>2</sup>.

U : 0,71 W.m<sup>2</sup>.K<sup>-1</sup>

:  
K 0.4W/ k    0.71W/ k    2.2W/ k                      80mm                      200mm B06                      40mm PNY    II                      6Low-E+12A+6    6Low-

E+12A+6+1.14PVB+6                      GB50189-2015 65%

: 0,55

: GB/T 7106-2013

: 6,00

/m<sup>2</sup> : 34,22 kWh/m<sup>2</sup>.

: 2 020

:

o

:

o

:

o VRV

:

o

o

:

o

: 5,71

BMS) :

“ ”

:

95%

: 34,82 KgCO<sub>2</sub>/m<sup>2</sup>/

:

GB/T 51366-2019

: 12,17 KgCO<sub>2</sub> /m<sup>2</sup>

: 50,00

, xx : 0.35

/ : 48,21 KgCO<sub>2</sub> /m<sup>2</sup>

GB/T 51366-2019

: 2 300,00 m<sup>3</sup>

: 300,00 m<sup>3</sup>

: 0.12

/m<sup>2</sup> : 3.42

/ : 82.14

GB 5749  
GB/T 13200-1991

CaCo<sub>3</sub> 150mg/L  
GB/T 11901-89

CFU 10 /100mL

CO2 mg/m3 819.12

mg/m3 0.04

TVOC mg/m3 0.25

mg/m3 0.02

PM2.5 µg /m3 0.051

PM2.5 3

TVOC

GB 50325

:

1

2

3

CO2 :

819.12

: 18°C 46% 25°C 49% 95%

:

5dB A

1468 6

<https://www.daikin-china.com.cn/>

:

IPLV 7.4 7.2



BLDG#18,CO.PARK,NO.8HEYING ROAD,CHANGPINGDISTRICT,BEIJING,CHINA

<https://www.epsolarpv.com/>

:

4950Wp



78 4 4

<https://www.brcon.com.cn/>

CO2



425

<http://www.gorzzir.com/>

: HVAC /

PM2.5


GB 50325



2200 C

:

3cm/S 34.0 Cf3.3 26mm



1

<http://www.tjcarbon.com/index/about/index.html>

:

II 3417MPa



2268 50

<http://www.shfalary.com/>

:  
0.060W/ m.K

A ,



: 5 350,00 ¥

: 550 000 ¥

: 4 656 400 ¥

: 1 500 000 ¥

¥

/ : 17 300,00 ¥

t/m2 : 25.74

/ : 617.86

: 1 554,15 m<sup>2</sup>

: 15 600,00

14 18

/

1

“ ” “ ”

2

3

1.64

4

“ . ” “ ”

“ ”

“ ”





Date Export : 20230310080430