


•

/ 2021-03-25 12:42:40 / China / 2459 / EN



79.81 kWhpe/m².

< 50	A
51 à 90	B
91 à 150	C
151 à 230	D
231 à 330	E
331 à 450	F
> 450	G

:
 : 2019
 : 2021
1- : Intersection of Dongyue middle road and Jianing Road, Huangdao District 266500 QINGDAO,
 : [Dfb]

: 4 736 m² Other
 / : 110 000 000 ¥
 /m² : 23226.35 ¥/ m²

:



•

/

VIP

“ ”

GB50189-2015

DBJ14-036-2006

39.18%

11.56%

17.35m

CFD

70%



:

lidanrui@sinochem.com

<https://www.greenjm.cn/>

HQE EXCEPTIONAL,

120°33'	36°07'	" "	2000-3000h	502-586×104kJ/ m²·a	" "	2541h	1600kWh	2
p CdTe n CdS			4.37 kWh	37.80 kWh	11.56% CdTe			
R410A R410A		ODP						

BIM

20

: 79,81 kWhpe/m².

: 116,05 kWhpe/m².

:

: 79,81 kWhfe/m².

:

47.78

20.16

10.15

2.90

U : 0,40 W.m².K⁻¹

:

1	100	≥0.15MPa	K W/ ·K =0.38	2	100	K W/ ·K =0.40	80 B1	K W/ ·K =0.42	3	50	K W/ ·K =0.78	4
		200	20	K W/ ·K =1.42	5	≤0.15Low-E 5+12Ar+5	1.90W/ ·K	0.35	3	0.40	6	
7	20		K W/ ·K =1.5									

: 0,15

: GB/T 7106-2013

: 6,00

<https://www.construction21.org/china/data/sources/users/277/20210325120236-zzzzzzzzz.docx>

/m² : 70,59 kWhfe/m².

: 2 020

:
◦
:
◦
:
◦
:
◦
◦
:
◦

: 11,56

<https://www.construction21.org/china/data/sources/users/277/20210325121112-zzzzzzzzz.docx>



: 48,40 KgCO₂/m²/

: 50,00

: 11 542,60 m³

/m²: 2,44

/ : 57,71

24h	0,25MPa	GB5749	50mm	50mm	2,0m/s	CJ945	1	≥2	2	3	20~30mg/L	1-3
-----	---------	--------	------	------	--------	-------	---	----	---	---	-----------	-----

CO₂ mg/m³ 500

mg/m³ 0,076

TVOC mg/m³ 0,380

mg/m³ 0,068

PM_{2.5} μg /m³ 19,8

:

0,41 0,40-0,45 0,41-0,48 0,4 3000K~4000K LED 4000K 60

850mm

1318m² 6,21% 5 360m 1,5m 50m

GB50763-2012

1 1:20

2

3

4 15mm

5

6 900mm

CO2 :

500

: 28.05°C 41.69°C 27.14°C 41.34°C 27.45°C 41.62°C 0.25m/s
24~26°C 50~60% GB 50736-2012 3.

:

3# 35.81dB

1

2 200mm

3

4




618 19

<http://www.ruijie.com.cn/>

:

21.5" IPS 16:9 1920 x R.G.B x 1080 1000 cd/m2() 4000:1() 178° (H) X 178° (V) ()
16.7M 5ms ≥25000 Hour


“ ”



2016 4 J

<http://oring.chinapower.com.cn/>

: HVAC /



336

<http://www.qdtgood.com/CN/default.htm>

TZD-250-GQ/01 500-750V 250A IP54




13

<http://www.rksolar.com.cn/>

1200×600×9.7mm
16.8kg
0.72
3.2mm
6mm /

IP67
PVB

CdTe



: 110 000 000 ¥

¥

/ : 401 177,00 ¥

/m² : 84.71

/ : 2005.89

500m 13

51.6%

126m²

5 10

0.5m

3.5m 33m

378m²

2h

56.54%

1 2

80%

: 19 791,50 m²

: 10 202,80

40 8

6 1.

2.

3.

4.

5.

6.



/

“ ”

LED

11.56%



Date Export : 20230313020520